


DOCKET NO: 216907US0X



IN THE UNITED STATES PATENT & TRADEMARK OFFICE

IN RE APPLICATION OF :

AGATHE SUBTIL-SANDS, ET AL.

: EXAMINER: FORD, V.

SERIAL NO: 10/014,670 :

FILED: DECEMBER 14, 2001

: GROUP ART UNIT: 1645

FOR: SECRETED CHLAMYDIA  
POLYPEPTIDES AND METHOD FOR  
IDENTIFYING SUCH POLYPEPTIDES  
BY THEIR SECRETION BY A TYPE III  
SECRETION PATHWAY OF A GRAM  
NEGATIVE BACTERIA :

APPEAL BRIEF

COMMISSIONER FOR PATENTS  
ALEXANDRIA, VIRGINIA 22313  
SIR:

This brief is submitted in response to the final rejection dated January 27, 2005.

REAL PARTY OF INTEREST

The real parties of interest herein are Institut Pasteur, Centre National de la Recherche Scientifique, and INSERM, all of Paris, France.

10/24/2005 SZWDIE1 00000061 10014670

01 FC:1402

500.00 OP

### **RELATED APPEALS AND INTERFERENCES**

To the best of Appellants' knowledge, there are no other appeals or interferences which will directly affect or be directly affected by, or have a bearing on, the Board's decision in this appeal.

### **STATUS OF CLAIMS**

Claims 7-10 and 30-47 are active in this application. Claims 30-33 and 38-43 are withdrawn to a Restriction Requirement imposed by the Office. Claims 7-10, 34-37 and 44-47 are currently rejected. All pending claims are reproduced in Appendix I.

### **STATUS OF AMENDMENTS**

There are no outstanding amendments in this case.

### **SUMMARY OF CLAIMED SUBJECT MATTER**

Chlamydia bacteria, which are gram negative bacteria, are human pathogens causing a number of diseases (see page 1 of the specification). Part of the pathogenesis of Chlamydia involves the expression and secretion of a number of proteins (see pages 2-4 of the specification). Generally, protein secretion in gram negative bacteria, involves at least four different pathways (page 5, 1<sup>st</sup> full paragraph of the specification). As discussed in the paragraph bridging pages 5-6 of the specification, since there are no genetic tools to manipulate and study Chlamydia gene expression and protein secretion, another way to analyze Chlamydia gene expression and pathogenesis.

In view of this background, "the inventors have shown that several chlamydial proteins, including members of the Inc family and proteins selected for a hydrophobic profile similar to that of Inc proteins, are secreted by the type II secretion machinery of *S. flexneri*."

(*S. flexneri* is a *Shigella* specie). Thus, to better understand the pathogenesis of the Chlamydia bacteria and to develop ways to better diagnose infection and devise treatments, the present inventors have discovered that Chlamydia proteins can be expressed and detected in gram negative bacterial cell resulting in the claimed invention relating to a method for identifying a secreted *Chlamydia* polypeptide by causing expression of a polypeptide of interest in a Gram-negative strain containing a type III secretion pathway and subsequently determining whether the protein is secreted.

### **REJECTIONS TO BE REVIEWED ON APPEAL**

The sole rejection to be reviewed on appeal is of Claims 7-10, 34-37 and 44-47 under 35 U.S.C. § 103(a) in view of Demers (WO 9958714), Graffais (U.S. patent no. 6,559,294) and Kalman (*Nature Genetics*, vol. 21, April 1999).

## ARGUMENTS

In rejecting a claim under 35 U.S.C. § 103(a), the USPTO must support its rejection by "substantial evidence" within the record,<sup>1</sup> and by "clear and particular" evidence<sup>2</sup> of a suggestion, teaching, or motivation to combine the teachings of different references. As discussed above, there is no substantial evidence, nor clear and particular evidence, within the record that teaches all of the limitations of the pending claims. Without such suggestion or teaching and absent improper hindsight reconstruction,<sup>3</sup> the pending claims are believed to be non-obvious and patentable over the applied references.

The claimed invention is to an entirely different method of identifying secreted Chlamydia proteins compared to what is described or suggested by the combination of cited art. Specifically, Demers describes screening for agent/compounds that change the expression of type III secretory proteins and/or which block secretion through this pathway. Specifically, pages 1, lines 8-9, page 2, lines 14-16 and page 3, lines 1-2 of Demers:

The invention also provides methods of identifying molecules that are able to activate or inhibit secretion in wild-type strains of gram-negative bacteria. Page 3, lines 1-2 of Demers

Graffais describes a number of Chlamydia proteins some of which are characterized as Type II secreted proteins (see, e.g., col. 22, lines 62-67). The Office cites column 40 of Graffais for a teaching of expressing proteins and detecting them using any known technique (see Advisory Action at page 3). However, Graffais' teachings are not focused on this but

---

<sup>1</sup> In re Gartside, 203 F3d 1305, 53 USPQ2d 1769 (Fed. Cir. 2000) (holding that, consistent with the Administrative Procedure Act at 5 USC 706(e), the CAFC reviews the Board's decisions based on factfindings, such as 35 U.S.C. § 103(a) rejections, using the 'substantial evidence' standard because these decisions are confined to the factual record compiled by the Board.)

<sup>2</sup> In re Dembiczak, 175 F3d 994, 999, 50 USPQ2d 1614, 1617 (Fed. Cir. 1999) ("We have noted that evidence of a suggestion, teaching, or motivation to combine may flow from the prior art references themselves, the knowledge of one of ordinary skill in the art, or, in some cases, from the nature of the problem to be solved, although 'the suggestion more often comes from the teachings of the pertinent references.' The range of sources available, however, does not diminish the requirement for actual evidence. That is, the showing must be clear and particular." (emphasis added).

<sup>3</sup> See MPEP 2141, stating, as one of the tenets of patent law applying to 35 USC 103, that "[t]he references must be viewed without the benefit of impermissible hindsight vision afforded by the claimed invention."

rather disclose the genes and then go on to describe that the genes and their corresponding proteins could be used for almost any imaginable use of such molecules, e.g., hybridization, eliciting an immune response, identifying compounds which block pathogenesis and others (see col. 43, lines 1-13; col. 50, lines 4-16), col. 59, line 57 to col. 60, line 16; col. 60, lines 46-56; col. 61, lines 21-33 and col. 63, lines 1-8).

Kalman is cited merely for the proposition that certain Chlamydia genes were known (see page 4 of the final Office Action and page 3 of the Advisory Action) but does not add anything relating to the method as claimed

Notwithstanding the differences and deficiencies of the combined teachings of the cited art, the Office concludes:

It would be prima facie obvious at the time the invention was made to identify polypeptides as taught by Kalman et al using the method of detecting polypeptides using Type III secretion machinery because Graffais et al teach that Chlamydia polypeptides can be secreted by the type III secretion machinery and detected by techniques known in the art such as for example using cloning combined with vectors allowing expression of the Chlamydia polypeptides fused to markers as demonstrated by the teachings of Demers et al. . . It would be expected barring evidence to the contrary that Shigella bacteria comprising type III secretion machinery would be effective in identifying Chlamydia secreted proteins. (Advisory Action at page 3).

This argument lacks merit for two reasons.

First, one would not have used Demers secretion system as alleged by the Office because doing so would be contrary to what is taught. Specifically, Demers entire disclosure is directed to looking for agents that block secretion or change expression patterns NOT for determining whether a certain Chlamydia protein is one that can be secreted through the type III pathway.

Second, the cited art provides no reason to believe that the expression of Chlamydia proteins would, in fact, work in other gram negative strains such as Shigella. No evidence as

to why the Office concludes that genes from such different organisms would be expressed nor would be properly secreted by the Type III machinery of that cell. The Office simply makes a conclusion without supporting facts. The Office should take note that as a prelude to the Inventors description that they have discovered that certain *Chlamydia* proteins could be expressed and secreted in *Shigella*, the Inventors state that another prior art publication in *Molecular Microbiology* describes expression of other proteins in *Shigella*, there are phylogenic differences between *Chlamydia* from other organisms (see page 7 of the specification) and therefore it is implied that no *a priori* conclusion could be drawn as to the success of expression of *Chlamydia* proteins in other bacterial cells, such as *Shigella*.

In view of the above, the combination of Demers, Graffais and Kalman fail to describe a method for identifying a secreted *Chlamydia* polypeptide including the steps as set forth in independent Claims 7 and 8. As the combination of cited publications fail to describe or suggest each and every limitation of the claimed invention, the rejection under 35 U.S.C. § 103(a) should be reversed and withdrawn.

The above comments apply in equal force to each pending claim. The dependent claims all contain further limitations that establish their patentability apart from those in independent Claims 7 and 8.

**CONCLUSION**

Accordingly, in view of the above remarks and reasons explaining the patentable distinctness of the presently appealed claims over the applied prior art, Appellants request reversal of the final rejection.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, P.C.

Norman F. Oblon



---

Daniel J. Pereira, Ph.D.  
Registration No. 45,518

Customer Number

**22850**

Tel: (703) 413-3000  
Fax: (703) 413 -2220  
(OSMMN 06/04)

Appendix 1 (Claims)

Claims 1-6 (Cancelled).

7. (Rejected) A method for identifying a secreted *Chlamydia* polypeptide wherein said method comprises (a) providing a recombinant expression vector containing at least DNA coding for the polypeptide of interest; (b) transforming a Gram-negative strain containing a type III secretion pathway with said recombinant vector; (c) expressing said vector in said Gram-negative transformed strain; and (d) detecting the secretion of said DNA expression product; wherein the secretion of said expression product indicates that it corresponds to a secreted *Chlamydia* polypeptide.

8. (Rejected) A method for identifying a secreted *Chlamydia* polypeptide wherein said method comprises (a) providing a recombinant expression vector containing at least DNA coding for the polypeptide of interest fused to a reporter gene; (b) transforming a Gram-negative strain containing a type III secretion pathway with said recombinant vector; (c) expressing this vector in said transformed Gram-negative strain; and (d) detecting the secretion of said reporter gene expression product; wherein the secretion of said expression product indicates that the fused DNA contains at least a polynucleotide corresponding to a secreted *Chlamydia* polypeptide.

9. (Rejected) A method according to Claims 7 or 8 wherein said Gram-negative strain containing a type III secretion pathway is a *Shigella* strain.

10. (Rejected) A method according to Claims 7 or 8 wherein said expression product is secreted by a type III secretion pathway.

Claims 11-29 (Cancelled).

30. (Withdrawn) The method according to Claim 7, wherein the secreted polypeptide belongs to the Inc family.



31. (Withdrawn) The method according to Claim 8, wherein the secreted polypeptide belongs to the Inc family.

32. (Withdrawn) The method according to Claim 9, wherein the secreted polypeptide belongs to the Inc family.

33. (Withdrawn) The method according to Claim 10, wherein the secreted polypeptide belongs to the Inc family.

34. (Rejected) The method according to Claim 7, wherein said secreted polypeptide is selected from the group consisting of IncA, IncB, IncC, CPn0026, CPn0067, CPn0130, CPn0146, CPn0174, CPn0186, CPn0211, CPn0243, CPn0277, CPn0284, CPn0292, CPn0357, CPn0365, Cpn1027, CPn0028, CPn0049, CPn0066, CPn0132, CPn0220, CPn0223, CPn0226, CPn0267, CPn0648, Cpn0829, CPn0009, CPn0012, CPn0063, CPn0167, CPn0175, CPn0181, CPn0105, CPn0287, CPn0330, CPn0334, CPn0374, CPn0379, CPn0705, CPn0710, CPn0711, CPn0820, Cpn0821, CPn1016, and CPn1022.

35. (Rejected) The method according to Claim 8, wherein said secreted polypeptide is selected from the group consisting of IncA, IncB, IncC, CPn0026, CPn0067, CPn0130, CPn0146, CPn0174, CPn0186, CPn0211, CPn0243, CPn0277, CPn0284, CPn0292, CPn0357, CPn0365, Cpn1027, CPn0028, CPn0049, CPn0066, CPn0132, CPn0220, CPn0223, CPn0226, CPn0267, CPn0648, Cpn0829, CPn0009, CPn0012, CPn0063, CPn0167, CPn0175, CPn0181, CPn0105, CPn0287, CPn0330, CPn0334, CPn0374, CPn0379, CPn0705, CPn0710, CPn0711, CPn0820, Cpn0821, CPn1016, and CPn1022.

36. (Rejected) The method according to Claim 9, wherein said secreted polypeptide is selected from the group consisting of IncA, IncB, IncC, CPn0026, CPn0067, CPn0130, CPn0146, CPn0174, CPn0186, CPn0211, CPn0243, CPn0277, CPn0284, CPn0292, CPn0357, CPn0365, Cpn1027, CPn0028, CPn0049, CPn0066, CPn0132, CPn0220, CPn0223, CPn0226, CPn0267, CPn0648, Cpn0829, CPn0009, CPn0012, CPn0063,

CPn0167, CPn0175, CPn0181, CPn0105, CPn0287, CPn0330, CPn0334, CPn0374, CPn0379, CPn0705, CPn0710, CPn0711, CPn0820, Cpn0821, CPn1016, and CPn1022.

37. (Rejected) The method according to Claim 10, wherein said secreted polypeptide is selected from the group consisting of IncA, IncB, IncC, CPn0026, CPn0067, CPn0130, CPn0146, CPn0174, CPn0186, CPn0211, CPn0243, CPn0277, CPn0284, CPn0292, CPn0357, CPn0365, Cpn1027, CPn0028, CPn0049, CPn0066, CPn0132, CPn0220, CPn0223, CPn0226, CPn0267, CPn0648, Cpn0829, CPn0009, CPn0012, CPn0063, CPn0167, CPn0175, CPn0181, CPn0105, CPn0287, CPn0330, CPn0334, CPn0374, CPn0379, CPn0705, CPn0710, CPn0711, CPn0820, Cpn0821, CPn1016, and CPn1022.

38. (Withdrawn) The method according to Claim 34, wherein said secreted polypeptide is IncA.

39. (Withdrawn) The method according to Claim 34, wherein said secreted polypeptide is IncB.

40. (Withdrawn) The method according to Claim 34, wherein said secreted polypeptide is IncC.

41. (Withdrawn) The method according to Claim 35, wherein said secreted polypeptide is IncA.

42. (Withdrawn) The method according to Claim 35, wherein said secreted polypeptide is IncB.

43. (Withdrawn) The method according to Claim 35, wherein said secreted polypeptide is IncC.

44. (Rejected) The method according to claim 7, wherein said secreted *Chlamydia* polypeptide is a *Chlamydia pneumoniae* polypeptide.

45. (Rejected) The method according to claim 8, wherein said secreted *Chlamydia* polypeptide is a *Chlamydia pneumoniae* polypeptide.

46. (Rejected) The method according to claim 7, wherein said secreted *Chlamydia* polypeptide is a *Chlamydia trachomatis* polypeptide.

47. (Rejected) The method according to claim 8, wherein said secreted *Chlamydia* polypeptide is a *Chlamydia trachomatis* polypeptide.

## APPENDIX II (EVIDENCE)

None